



CUI



USASOC Wireless Detection Report

Date/Time: 9 December 2022 / 1300 - 1530

Personnel Scanning: Charles A. Ransom & Jorde Neri

Unit: 528th Sustainment Brigade
floor

Building(s): X-4047

Floor(s): 1st and 2nd

Escorted by: SFC Forbes, Michael j – 528th SB S-2 NCOIC, SGT Henkel, Eric – MTOE Battalion S-2 NCOIC

Monitoring Devices Used: YORKIE PRO 1.7

Summary: A wireless scan was conducted in 528th Sustainment Brigade (SB) in the Headquarters facility X-4047 in 1st and 2nd floor by USASOC Cybersecurity to assist in collecting data for an auditable item that falls under Army's DODIG Inspection. Our Security Compliance team was escorted throughout the facility during the scan to identify rogue devices & personnel in violation of USASOC Cybersecurity Program Regulation 25-2. This scan was conducted to assist in identifying outlying devices and personally contributing to the security posture within all USASOC. The Yorkie pro device was used to detect and determine the location of cellular, WiFi, and Bluetooth signals of any unauthorized electronic devices within the buildings of X-4047. The overall results of the scans were informative of the Cybersecurity stance of 528th SB. We scanned everywhere we could get into including the lockboxes, and we only found 2 prohibited devices (See **Location, Device type, and Names of those who were caught:** for more information).

Problems

- 1 Personnel were caught with prohibited devices. (See **Location, Device type, and Names of those who were caught:** for more information)
- Personnel are not turning off cell phones when storing them in the lockbox and leaving phones unsecure. Not only does this violate USASOC Regulation 25-2, chapter 2-3 but also provides false positives when scanning the AOR increasing the duration of scanning.

Suggestions/Recommendations/Actions

- We strongly recommend posting on all entrances and exits the section on USASOC regulation 25-2 Chapter 2-3 Section a. "*Personal electronics are not permitted inside*



CUI



USASOC Facilities. If a storage area is provided at the building entrance, visitors may use it to temporarily store their cell phones or other small electronic devices. All stored devices must be turned off.”

Location, and [Device type | Names] of those who were caught:

1 ST FLOOR	2 ND FLOOR
121B GOVERNMENT PHONE	204 [Phone Cpt Blosser, Gavin]